
5627TSP

TRUCKSTAR PRO | Signal lamps

Product benefits

- Tried and trusted in millions of vehicles of well-known automobile manufacturers
- Excellent price/performance ratio
- Impressive brightness and reliable lifetime
- Up to 100 % longer lifetime (compared to standard lamps)
- Suitable for heavy duty applications thanks to very high vibration resistance

Technical data


Electrical data

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	37.5 mm
Diameter	16.0 mm
Product weight	6.01 g

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R5W
--------------	-----

Country specific categorizations

Product datasheet

Order reference	5627TSP
-----------------	---------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321795151	5627TSP	Unpacked 1	139 mm x 42 mm x 57 mm	0.33 dm ³	71.00 g
4008321795168	5627TSP	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	73.10 g
4008321795175	5627TSP	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	427.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

ECE E1 approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.