

---

## 9006NBU

NIGHT BREAKER UNLIMITED | Halogen headlight lamps for cars



---

### Areas of application

- Headlight

---

### Product benefits

- Up to 110 % more light on the road (compared to standard halogen lamps)
- Up to 40 m longer beam of light (compared to standard halogen lamps)
- Up to 20 % whiter light (compared to standard halogen lamps)
- Drivers spot obstacles and dangerous situations much sooner
- Optimum light for more time to react
- Patented blue ring coating for less reflected glare
- More efficient light production thanks to optimized inert filling gas formula
- Higher resilience due to robust coil design

---

### Product features

- Eye-catching design with partial blue coating and silver cap

# Product datasheet

## Technical data

### Electrical data


Power input	62 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	51.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1000 lm
Luminous flux tolerance	±15 %

### Dimensions & weight



Length	80.3 mm
Diameter	12.0 mm
Product weight	21.00 g

### Lifespan

Lifespan B3	270 h
Lifespan Tc	500 h

### Additional product data

Base (standard designation)	P22d
-----------------------------	------

### Certificates & standards

ECE category	HB4
--------------	-----

### Country specific categorizations

# Product datasheet

---

<b>Order reference</b>	9006NBU 51W 12V
------------------------	-----------------

---

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899030817	9006NBU	Hard Cover Box 2	115 mm x 47 mm x 95 mm	0.51 dm <sup>3</sup>	126.00 g
4052899030824	9006NBU	Shipping carton box 20	250 mm x 240 mm x 106 mm	6.36 dm <sup>3</sup>	1400.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.