


DIN Feed-through terminal block - PT 2,5

Clever feed-through terminal block for mounting on DIN rail. Push-in terminals for easy connecting. 0,14 mm² - 4 mm².



Clever feed-through terminal blocks for mounting on DIN rail. The terminal blocks have push-in terminals, that make it easy to connect. The terminals can be used for 0,14 mm² - 4 mm² wires.

8-10mm insulation must be removed on the wires.

Green ground terminal block

The green ground terminal block connects the two terminals and the DIN-rail. This allows you to feed the ground connection through the setup without extra wires. If you need more terminals, it is cheaper to use standard blocks together with plug-in bridges.

Plug-in bridge

The plug-in bridge makes it easy to distribute signals and voltages across multiple terminal blocks. This could be output from transformers, relays, or similar, where you need to connect multiple parts. Typically used for ground signals.

matronics 

Buy online at www.matronics.eu/660800

Specifications

Rated voltage	800V
Rated current	24A
Wire, area	0,14 mm ² - 4 mm ²
Temperature, operating	-60 °C ... 105 °C
Temperature, mounting	-5 °C ... 70 °C

Product overview

2 terminals



SKU 660800
Dimensions: 35.3 x 48.6 x 5.2mm

4 terminals



SKU 660801
Dimensions: 35.3 x 72.2 x 5.2mm

2 terminals + Ground



SKU 660802
Dimensions: 35.3 x 48.5 x 5.2mm

Plug-in bridge 2-position



SKU 660820

Plug-in bridge 3-position




SKU 660821

Terminal marking (IO labels)



SKU 660822

Filler plugs



SKU 660823

Product pictures

