5 pcs. 3 mm XLaZerleds for External I2V

 $5\ waterproof\ XLaZer\ diodes\ ready\ for\ mounting\ with\ a\ 1.0\ m\ cable\ and\ mounting\ frames.$



5 waterproof XLaZer diodes ready for mounting with 1.0 m cable and mounting frames. The diodes light up vigorously with a relatively concentrated light scattering, so they are great for special effects or lighting in the longer distance.

The cable length is 1.0 m.

The mounting hole should be 6,5 mm.

It can also be attached via cable stripes and a stripes-anchor.

matronics.11

Buy online at www.matronics.eu/120076

Product overview

Blue



SKU 120076 Color: Blue

Brightness: 3000 mcd

Operation Voltage: 12V @ 20mA

Wave Length: ~ 470nm Light Scattering: 32 ° Lens type: Clear glass

Green



SKU 120078

Operation Voltage: 12V @ 20mA

Brightness: 5000 mcd Light Scattering: 30 ° Lens type: Clear glass

Color: Green

Wave Length: ~ 525nm

Orange



SKU 120086

Wave Length: ~ 605nm Brightness: 3150 mcd

Operation Voltage: 12V @ 20mA

Light Scattering: 30 ° Color: Orange

Lens type: Clear glass

Pink



SKU 120088

Wave Length: ~ 415nm Lens type: Clear glass Brightness: 1200 mcd

Operation Voltage: 12V @ 20mA

Light Scattering: 25°

Color: Pink

Red



SKU 120072

Light Scattering: 34°

Color: Red

Lens type: Clear glass Wave Length: 625nm

Operation Voltage: 12V @ 20mA

Brightness: 3500 mcd

Yellow



SKU 120084

Lens type: Clear glass

Color: Yellow

Wave Length: ~ 589nm Light Scattering: 30 ° Brightness: 3500 mcd

Operation Voltage: 12V @ 20mA

Xenon white



SKU 120074

Operation Voltage: 12V @ 20mA

Color: White 7000K

Light Scattering: 32 $^{\circ}$

Wave Length: $X = -Y = 0.31 \ 0.32$

Brightness: 3200 mcd Lens type: Clear glass

Product pictures

