Mi-Light RGB + White system

RGB+White controller for 12V and 24V such as LED strips. Can be controlled with remote, touch panel and smartphones.

RGB+White system for 12V and 24V products, such as LED strips. Color and effect can be controlled with various units - remote, touch control panel and also the wifi bridge for smart phones. Receiving distance maximum 30 meter. The controller can supply max 6A per color channel, or total 12A.

By using the remote, panel or wifi bridge, you can simply change between the colors, effect modes and the speed of this.

The advanced zone-functions allows you to group controllers into different zones. Each remote has 4 zones, and can control an infinite number of controllers. The controllers can also be controlled by 4 different remotes. This allows you to set up the lighting in many interesting ways.

Controller

There are screw-terminals in both ends for input and output connections and a DC connector for input voltage.

Remote

The remote measures 110 x 53 x 22mm and uses 2 x AAA batteries (not included). On the picture you can see how the buttons work.

Touch panel

Nice and elegant touch control-panel for managing your Mi-Light RGB and RGB+White controllers and bulbs. The control panel makes it easy to turn on and off, adjusting color, brightness and effect-mode in 4 different zones.

The panel is tempered glass, which gives the control panel a luxurious look.

The built-in wireless transmitter has a 30 meter range. The model with 2 x AAA battery requires no connection, and can be screwed or taped on. A piece of double-adhesive tape is included.

Wifi Bridge

A wireless bridge that makes it possible to use your smartphone or tablet as a remote for Mi-Light controllers and Mi-Light bulbs, both for dimming-products, RGB products and RGB+White products.

The bridge can control an infinite number of controllers. There is also built-in 4 zones functions that the controllers can be grouped in. The range of the wireless bridge is 30 meters. It is supplied with a micro-usb remote (not included).

We recommend that you try to install the app on your unit before you purchase, so that you can check the compatibility: Download app for Apple-units - Download app for Android-units

Wall holder

The holder is fastened on the wall and then the remote control has its own parking space. The remote control can be easily loosened from the holder, so it is not a permanent attachment.

Product overview

Controller

SKU 609634

Remote

SKU 609633

Touch panel, battery

SKU 609635

Touch panel, 230V

SKU 609636

Wifi Bridge

SKU 609680

Wall-holder

SKU 609685

Product pictures

Tænd alle — Sluk alle
Farvering — Indikator
Lysstyrke − — Lysstyrke +
Hastighed − — Hastighed +
Zone tænd — Zone registrering
Zone sluk
— Effekt-mode