



# Additional position light for Michelin Man / Mascot

Powerful LED emitters for additional position light for the 42cm Michelin man / mascot / bidendum. Available in different versions.



Powerful LED emitters for additional position light in the original big/large Michelin Man / Mascot / Bidendum on 42cm. Available in multiple colors, with and without strobe.

Buy online at:

[www.matronics.eu/170089-AMCW](http://www.matronics.eu/170089-AMCW)

The emitters are available in multiple colors, with and without strobe light. They are sold as 2 emitters regardless of the type - 1 for each side.

### Single color, Yellow/White/Warm white

There is 3 meter wire on each emitter, that can be connected to the regular positionlight. There is a plus and minus wire.

### Dual color

There is 3 meter cable on each board. There is one minus and two plus-wires. You should never have both colors turned on, so you need to use a toggle switch to change between the colors.

- Minus/ground - Brown cable
- Plus for white position light - White cable
- Plus for yellow position light - Green cable

### Dual color + flash

Standard strobecolor is yellow, but it can be customized to eg. blue or white for special purpose vehicles. Notice that there are 6 strobe LEDs for 24V, and 3 for 12V.

There is 6 meter cable on the emitter with M8 connectors, that can be connected to the included controller. The controller manages the two colors, and automatically turn them off when you enable the strobe light. The controller itself has 3 meter wire. The cable has 4 wires:

- Minus - Green cable
- Plus for white position light - White cable
- Plus for yellow position light - Yellow cable
- Plus for strobe light - Brown cable

### Mounting

- Disassemble the bracket on the bottom of the man
- Drill a 20mm hole in the middle of the 3 bolts. See the drawing under pictures.
- Mount the big black sealing over the emitter
- Place the emitter in the hole you just drilled.
- The bracket is then placed over the end of the emitter.
- Use the supplied spacers and bolts to fasten the bracket.



**24V, Yellow**  
SKU 170089-AM  
Voltage: 24V



**24V, Warm white**  
SKU 170089-WW  
Voltage: 24V



**24V, Blue**  
SKU 170089-BL  
Voltage: 24V



**24V, Golden yellow**  
SKU 170089-GY



**24V, Dual Color Amber/White**  
SKU 170089-AMCW  
Voltage: 24V



**12V, Yellow**  
SKU 160089-AM



**12V, Dual Color Amber/White**  
SKU 160089-AMCW



**24V, Xenon white**  
SKU 170089-CW  
Voltage: 24V



**24V, Red**  
SKU 170089-RD



**24V, Green**  
SKU 170089-GR  
Voltage: 24V



**24V, RGB**  
SKU 170089-RGB



**24V, Dual Color Amber/White + Strobe**  
SKU 170088-AM  
Voltage: 24V



**12V, Xenon white**  
SKU 160089-CW



**12V, Dual Color Amber/White + Strobe**  
SKU 160088-AMCWAM

Product pictures

