

Strands Siberia SR LED light-bar, E-approved

Strands double-rowed LED light-bar with dual color position-light at the bottom. E-approved for road use.



E-approved LED bars by Strands with dual-colour position-light at the bottom making it a stylish and modern look.

The dual-color position-light gives you the possibility to change between white and yellow positions-light as you feel like it so that it fits your vehicle.

The XPA version has a lower reference number, but shines significantly longer/wider than standard in Xperience Mode:

On all lengths / models there are flood lenses on each side and in the center - spot lenses. This way you have a good combination of the broad light spreading from the sides and the focused light in the center.

The lens glass is produced in polycarbonate and the lamp housing is made of powder-coated aluminum to achieve a sleek design and good cooling for the LEDs.

There are brackets included for mounting and also a pre-mounted 4-pin DT plug, which makes the installation much easier.

- Black: Minus / -
- Red: High-beam
- White: White position-light
- Yellow: Yellow position-light

E-approvements: ECE R112, R7, R10, CE

Ref.: 809170, 809171, 809172, 809173
XPA: 809411A, 809412A

Buy online at:

www.matronics.eu/24606467A



XPA SR 12"
SKU 24606467A
Voltage: 10-32V DC
Consumption: 50W
Lumen theoretical: 4000lm
Lumen effective: 3620lm
Reference: 20
Kelvin: 5700K
Operating temperature: – 35°C to +60°C
Dimensions: 55,6 x 45 x 304,7mm



XPA SR 32"
SKU 24606469A
Voltage: 10-32V DC
Consumption: 160W
Lumen theoretical: 12000lm
Lumen effective: 10950lm
Reference: 20
Kelvin: 5700K
Operating temperature: – 35°C to +60°C
Dimensions: 55,8 x 45 x 814,7mm



XPA SR 22"
SKU 24606468A
Voltage: 10-32V DC
Consumption: 105W
Lumen theoretical: 8000lm
Lumen effective: 7150lm
Reference: 20
Kelvin: 5700K
Operating temperature: – 35°C to +60°C
Dimensions: 55,6 x 45 x 555,6mm

Product pictures



