


## Alu-profile, Bardolino, T-Profile, 35, 2x25mm

An anodized T alu-profile for embedding SMD LED stripss on walls, ceilings or floors. A nice profile for do-it-yourself light.



An anodized T alu-profile for embedding SMD LED stripes on walls, ceilings or floors. A nice profile for do-it-yourself light.

Our sturdy plastic-front can be used to protect the LED stripe from dirt, but is not necessary if it is mounted on the ceiling or on the wall. The matte plastic front will be able to distribute the light more softly.

### Mounting:

- SMD tape mounted on the bottom
- A plastic-front glass shot into the side of the profile
- The profile is mounted in a 22 mm-23 mm groove

### Mounting spring

It can be used to make screw-free mounting of the T-profiles. The easiest way to attach them on the wall and on the floor. It also serves as an assembling frame between two rails.

At the same time, it makes it possible to easily disassemble the rails again, if there is a need for cleaning of the profile and possibly a replacement of SMD tape or glass.

It mounts easily, kicks it in at the back of the brace and then screw the screws back down. The legs is tilted backwards, and the rail is pushed into the Groove it should sit in. Spring-legs will then make sure shine will be kept inside.

### Dimensions:

- Totally spring-bone length; 45 mm
- Spring-leg length and immaculate rail 35 mm.
- Maximum total width 105 mm
- Shoots-length 40 mm.

Buy online at:

[www.matronics.eu/131101](http://www.matronics.eu/131101)



**Profile, 100cm**  
SKU 131101



**Profile, 201cm**  
SKU 131102



**Profile, 302cm**  
SKU 131103



**Accessories, 1 end cap**  
SKU 131245



**Accessories, 1 mounting-spring**  
SKU 131246

Product pictures

