I pcs. IO mm XLaZerleds I2V in Parts

The latest technology makes it possible to make these super diodes with a tremendous brightness.



The latest technology makes it possible to make these super diodes with a good brightness.

Including resistors for 12V, techflex and assembling instructions, however without mounting frames.

<u>Note:</u> these 10 mm approx. 70mA per paragraph uses diodes, which corresponds to a level of power consumption for 4 ordinary diodes.

matronics.11

Buy online at www.matronics.eu/130008

Product overview

Blue



SKU 130008


Lens type: Clear glass

Operation Voltage: 3, 7V/12V @ 80mA

Light Scattering: 30 ° Light Output: 6 ~ 10 lumens

Color: ~ 470nm Wave Length: ~ 470nm

Red



SKU 130018

Light Output: 6 ~ 10 Lumens

Color: Red

Operation Voltage: 2, 5V/12V @ 80mA

Wave Length: ~ 625nm Lens type: Clear glass Light Scattering: 30 °

Yellow



SKU 130028

Lens type: Clear glass Wave Length: ~ 589nm Light Output: 6 ~ 10 Lumens

Operation Voltage: 2, 5V/12V @ 80mA

Light Scattering: 30 °

Color: Yellow

Green



SKU 130038

Light Output: 15 ~ 20 lumens

Light Scattering: 30 ° Color: ~ 525nm Color: Green

Operation Voltage: 3, 5V/12V @ 80mA

Lens type: Clear glass

Xenon white



SKU 130058


Color in Kelvin: ~ 6500 k

Operation Voltage: 3, 5V/12V @ 80mA

Lens type: Clear glass Light Scattering: 30 ° Color: Xenon White

Light Output: 20 ~ 25 lumen

Warm White



SKU 130068


Lens type: Clear glass

Color: Warm White

Operation Voltage: 3, 5V/12V @ 80mA

Color in Kelvin: \sim 2700 k Light Output: 20 \sim 25 lumen Light Scattering: 30 $^{\circ}$

Ultraviolet



SKU 130084

Light Output: 2 ~ 4 lumen Lens type: Clear glass

Color: UV

Operation Voltage: 3, 5V/12V @ 80mA

Wave Length: ~ 390nm Light Scattering: 30 °

Product pictures

