

5 pcs. XLaZerleds for Internal 24V DC

5 pcs. XLaZer diodes ready for indoor mounting, 0,5 m cord and mounting frames.



5 pcs. XLaZer diodes ready for indoor mounting, 0,5 m cord and mounting frames.

Typically used to power lighting in cabins and trunks. The diodes light up vigorously with a relatively concentrated light scattering, so they're good for spot lighting or lighting in the longer distance.

The diodes can also be attenuated in the brightness via our [24Vdc dimmers](#).

- Cable length: 0.5 metres
- Mounting hole of 3 mm must be 4.5 ~ 5, 0
- Mounting hole to 5 must be 6,5 mm
- Can also be attached via cable stripes and stripes-anchor

matronics 

Buy online at www.matronics.eu/240075


Product overview

Blue 3 mm



SKU 240075
Wave Length: ~ 470nm
Brightness: 3000 mcd
Light Scattering: 32 °
Operation Voltage: 24V @ 20mA
Color: Blue
Lens type: Clear glass

Red 3 mm




SKU 240071
Operation Voltage: 24V @ 20mA
Light Scattering: 34 °
Lens type: Clear glass
Brightness: 3500 mcd
Color: Red
Wave Length: 625nm

Green 3 mm




SKU 240077
Light Scattering: 30 °
Wave Length: ~ 525nm
Lens type: Clear glass
Brightness: 5000 mcd
Operation Voltage: 24V @ 20mA
Color: Green

Yellow 3 mm




SKU 240083
Operation Voltage: 24V @ 20mA
Wave Length: ~ 589nm
Lens type: Clear glass
Color: Yellow
Brightness: 3500 mcd
Light Scattering: 30 °

Orange 3 mm




SKU 240085
Wave Length: ~ 605nm
Light Scattering: 30 °
Operation Voltage: 24V @ 20mA
Lens type: Clear glass
Brightness: 3150 mcd
Color: Orange

Xenon white 3 mm




SKU 240073
Lens type: Diffuse
Color: White 6500 k
Light Scattering: 60 °
Brightness: 1000 mcd
Operation Voltage: 24V @ 20mA

Ultraviolet 5 mm



SKU 240081

Pink 3 mm



SKU 240087

Product pictures

