5 pcs. XLaZerleds for Indoor Mounting I2V DC

5 pcs. XLaZer diodes ready for indoor mounting, a 0.5 m cord and mounting frames.



5 pcs. XLaZer diodes ready for indoor mounting, a 0.5 m cord and mounting frames.

Is typically used to power lighting in the cabin and in the trunk. The diodes light up vigorously with a relatively concentrated light scattering, so they're good for spot lighting or lighting in the longer distance.

The diodes can also be attenuated in the brightness via our 12Vdc dimmers.

Cable length: 0.5 metres

Mounting hole of 3 mm must be $4.5 \sim 5.0$ mm.

Mounting hole of 5 mm must be 6,5 mm.

It can also be attached via cable stripes and stripe-anchors.

matronics.11

Buy online at www.matronics.eu/120075

Product overview

Blue 3 mm



SKU 120075

Operation Voltage: 12V @ 20mA

Light Scattering: 32 ° Lens type: Clear glass Brightness: 3000 mcd Wave Length: ~ 470nm

Color: Blue

Green 3 mm



SKU 120077

Brightness: 5000 mcd

Operation Voltage: 12V @ 20mA

Lens type: Clear glass

Color: Green

Light Scattering: 30 ° Wave Length: ~ 525nm

Orange 3 mm



SKU 120085

Brightness: 3150 mcd Wave Length: ~ 605nm Lens type: Clear glass Light Scattering: 30 °

Color: Orange

Operation Voltage: 12V @ 20mA

Ultraviolet 5 mm



SKU 120081

Wave Length: ~ NM Color: Ultraviolet

Operation Voltage: 12V @ 20mA

Light Scattering: 30 ° Brightness: 2000 mcd Lens type: Clear glass

Red 3 mm



SKU 120071

Color: Red Operation Voltage: 12V @ 20mA

Light Scattering: 34 °
Lens type: Clear glass
Brightness: 3500 mcd
Wave Length: 625nm

Yellow 3 mm



SKU 120083

Lens type: Clear glass Wave Length: ~ 589nm Light Scattering: 30 °

Color: Yellow

Operation Voltage: 12V @ 20mA

Brightness: 3500 mcd

Xenon white 3 mm



SKU 120073

Wave Length: X =-Y = 0.31 0.32 Operation Voltage: 12V @ 20mA

Brightness: 3200 mcd Color: White 7000K Lens type: Clear glass Light Scattering: 32 °

Pink 3 mm



SKU 120087

Wave Length: ~ 415nm Lens type: Clear glass Light Scattering: 25 °

Operation Voltage: 12V @ 20mA

Color: Pink

Brightness: 1200 mcd

Product pictures

