5 pcs. 3 mm LEDs for Interior I2V DC

5 pcs. diodes with a cord and mounting frames, ready for indoor mounting.



5 pcs. diodes with a cord and mounting frames, ready for indoor mounting. Is typically used for cabins and trunks, since they have a wide light scattering.

The diodes can also be attenuated in the brightness via our <u>12Vdc dimmers</u>.

Cable length - 0.5 metres Mounting hole must be 4.5 ~ 5, 0. It can also be attached via cable stripes and an stripes anchor.

matronics.1

Buy online at <u>www.matronics.eu/120001</u>

Product overview

Blue



SKU 120001 Operation Voltage: 12V DC @ 20mA Lens type: Diffuse Brightness: 1000mCD Wave Length: ~ 470nm Light Scattering: 120 ° Color: Blue 132: 13





SKU 120011 Brightness: 1000mCD Lens type: Diffuse Operation Voltage: 12V DC @ 20mA Wave Length: ~ 625nm Light Scattering: 120 ° Color: Red

Xenon white



SKU 120051 Light Scattering: 120 ° Brightness: 1000 mcd Operation Voltage: 12V DC @ 20mA Lens type: Diffuse Wave Length: X =-Y = 0.31 0.32

Yellow



Color: White 6500 k SKU 120021 Light Scattering: 120 °

Lens type: Diffuse Brightness: 1000mCD Color: Yellow Wave Length: ~ 589nm Operation Voltage: 12V DC @ 20mA



Green

SKU 120031 Light Scattering: 120 ° Wave Length: ~ 525nm Color: Green Operation Voltage: 12V DC @ 20mA Lens type: Diffuse Brightness: 1300 mcd

Warm-white



SKU 120055 Color: Warm white 2700 k Operation Voltage: 12V DC @ 20mA Lens type: Clear glass Brightness: 6000 mcd Light Scattering: 60 °





SKU 120041 Light Scattering: 120 ° Brightness: 1000 mcd Lens type: Diffuse Wave Length: ~ 605nm Operation Voltage: 12V DC @ 20mA Color: Orange

Product pictures

