

## An enclosure in gray impact resistant ABS - IP65

Enclosure that is waterproof and dustproof with a gasket between the lid and the bottom. Various sizes, with and without flanges.



Discrete enclosure that is waterproof and dustproof with a neopren gasket between the lid and the bottom. It comes in various sizes.

Models with and without flanges. For enclosures without flanges, the mounting-screws are inside the enclosure, but outside the waterproof area.

There is mounting-holes for circuit-boards and slots for vertical mounting. Four bolts are included for tightening the lid.


You can see all detailed drawings under downloads.

**matronics** 

Buy online at [www.matronics.eu/606612](http://www.matronics.eu/606612)


Product overview

No flanges, 64 x 58 x 35mm (G3O2)




SKU 606620  
Dimensions: 35 x 58 x 64mm

No flanges, 115 x 65 x 55mm (G3O8)




SKU 606621  
Dimensions: 55 x 65 x 115mm

No flanges, 115 x 90 x 55mm (G3I1)




SKU 606622  
Dimensions: 55 x 90 x 115mm

No flanges, 171 x 121 x 55mm (G3I3)




SKU 606612  
Dimensions: 55 x 121 x 117mm

No flanges, 171 x 121 x 80mm (G34O)



SKU 606614  
Dimensions: 80 x 171 x 121mm

No flanges, 222 x 146 x 75mm (G353)



SKU 606613  
Dimensions: 75 x 222 x 146mm

With flanges , 64 x 58 x 35 (G3O2MF)



SKU 606700

With flanges, 115 x 65 x 55 (G3O8MF)



SKU 606701

With flanges, 115 x 90 x 55 (G3I1MF)



SKU 606702

With flanges, 171 x 121 x 55 (G3I3MF)



SKU 606703

With flanges, 171 x 121 x 80 (G34OMF)



SKU 606704

With flanges, 222 x 146 x 75 (G353MF)



SKU 606705

Product pictures

