

Matronics Performance LED Headlight Kit

Very powerful LED headlight kits, available for H1, H3, H4, H7, H8, H9, H11, H16, HB3, HB4 and PSX24 sockets.



Powerful LED headlight kits, available for H1, H3, H4, H7, H8, H9, H11, H16, H27, HB3, HB4 and PSX24 sockets. The kits are complete with two LED emitters, and connector/cable sets for replacing the original emitters with 5700K.

For cars with bulb-control, it is also possible to purchase Canbus kits for 12V and 24V.

Large light output

The light output is 1800 lumen pr. LED bulb - A standard halogen bulb is typically around 1000~1500 lumen.

Type 1

This type is characterized by having a narrow cooling unit, where the LED, that goes into the headlamp, is relatively bigger than a regular halogen-bulb

Type 2

This type is characterized by having a narrow LED device, where the cooling unit is bigger in compared to Type 1

OBS!

Both Type 1 and Type 2 in H1 fits the Hella 3003 lamps, that comes with 6 LEDs in the lower edge of the lamp - but NOT in the version with built-in position light bulb (Ba9s)

Mounting

The H7 bulb can be adjusted in the socket with the included allen key, this may be necessary for a better light cone. Some cars need an adapter for fitting the headlamp, please look on the Related products below

CANBUS / Pear Control

For some cars, it may be necessary to go with canbus kits to avoid error messages on the car lamp control.

Unfortunately we experience that on several VOLVO trucks the computer CANNOT be cheated and here these CAN-BUS modules will not have the correct function.

matronics.nl

Buy online at www.matronics.eu/129050

LED Kit, H1 - Type 1



SKU 129160
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, H3 - Type 1



SKU 129161
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, H3 - Type 2



SKU 129091
Color temperature: 6000K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
LED temperature: -40 til 120 grader
Voltage: 9V til 32V DC
Current: 1.8A at 13.5V (per set)
LED power: 25W (nominal per set)
Estimated Lifetime: 30.000 Hours
Cooling: Passive / Cooling elements

LED Kit, H4 - Type 1



SKU 129162
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, H7 - Type 1



SKU 129163
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, H7 - Type 3



SKU 129193
Color temperature: 6000K
Brightness: 5000 (nominal per set)
Work temperature: -45 til 85 grader
LED temperature: -40 til 120 grader
Voltage: 9V til 32V DC
Current: 1.85A at 13.5V (per set)
LED power: 25W (nominal per set)
Estimated Lifetime: 30.000 Hours
Cooling: Passive / Cooling elements

LED Kit, H8 / H9 / H11 / H16 - Type 1



SKU 129164
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, H8 / H9 / H11 / H16 - Type 3



SKU 129194
Color temperature: 6000K
Brightness: 5000 (nominal per set)
Work temperature: -45 til 85 grader
LED temperature: -40 til 120 grader
Voltage: 9V til 32V DC
Current: 1.85A at 13.5V (per set)
LED power: 25W (nominal per set)
Estimated Lifetime: 30.000 Hours
Cooling: Passive / Cooling elements

LED Kit, H27/880/881/888/894 - Type 1



SKU 129168

LED Kit, HB3 / 9005 Type 1



SKU 129165
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, HB4 / 9006 - Type 1



SKU 129166
Colortemperature: 5700K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
Voltage: 6V til 32V DC
LED power: 32W (nominal per set)

LED Kit, PSX24W - Type 2



SKU 129099
Color temperature: 6000K
Brightness: 3600 (nominal per set)
Work temperature: -45 til 85 grader
LED temperature: -40 til 120 grader
Voltage: 9V til 32V DC
Current: 1.8A at 13.5V (per set)
LED power: 25W (nominal per set)
Estimated Lifetime: 30.000 Hours
Cooling: Passive / Cooling elements

12V Canbus Kit, H1



SKU 129050

12V Canbus Kit, H3



SKU 129051

12V Canbus Kit, H4



SKU 129052

12V Canbus Kit, H7



SKU 129053

12V Canbus Kit, H8 / H11



SKU 129056

12V Canbus Kit, HB3



SKU 129057

12V Canbus Kit, HB4



SKU 129058

12V Canbus Kit, 9004



SKU 129061

24V Canbus Kit, H1



SKU 128900

24V Canbus Kit, H3



SKU 128901

24V Canbus Kit, H4



SKU 128902

24V Canbus Kit, H7



SKU 128903

24V Canbus Kit, H8/H11



SKU 128905

24V Canbus Kit, HB3



SKU 129057

24V Canbus Kit, HB4



SKU 128904

12V Canbus Kit, HB5



SKU 129061

Product pictures

